PE VIII

A36097-PCT-USA-A (075188.0117) PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

Mene-Saffrank et al. Customer No.:

Vo.: 21003

Serial No.

10/731,642

Examiner:

Not Yet Assigned

Filed

May 17, 2004

Group Art Unit:

1632

For

LIPOXYGENASE OVEREXPRESSION IN PLANTS AND REDUCTION IN PLANT SENSITIVITY TO DISEASES AND

TO ATTACKS FROM PATHOGENIC ORGANISMS

INFORMATION DISCLOSURE STATEMENT

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

October 18, 2004

Date

Peter J. Shen

Name

52,217

PTO Reg. No

October 18, 2004

Date of Signature

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to 37 C.F.R. §§1.97 and 1.98, applicants respectfully request that the documents listed below in reverse chronological order and on the accompanying PTO 1449 be considered by the Examiner and made of record in the above-referenced application.

- 1. U.S. Patent No. 6,770,303 to Fritig et al., issued August 3, 2004.
- 2. PCT International Patent Publication No. WO 01/36464, published May 25, 2001.

- Seo, H. S., Song, J. T., Cheong, J.-J., Lee, Y.-H., Lee, Y.-W., Hwang, I., Lee, J. S. & Choi, Y. D. (2001) Jasmonic acid carboxyl methyltransferase: A key enzyme for jasmonate-regulated plant responses, *Proc. Natl. Acad. Sci. U. S. A.* 98, 4788-4793.
- Göbel, C., Feussner, I., Schmidt, A., Scheel, D., Sanchez-Serrano, J., Hamberg,
 M. & Rosahl, S. (2001) Oxylipin profiling reveals the preferential stimulation of
 the 9-lipoxygenase pathway in elicitor-treated potato cells, *J. Biol. Chem.* 276,
 6267-6273.
- 5. Itoh, A. & Howe, G. A. (2001) Molecular cloning of a divinyl ether synthase: Identification as a CYP74 cytochrome P-450, *J. Biol. Chem.* 276, 3620-3627.
- Mercier, L., Lafitte, C., Borderies, G., Briand, X., Esquerre-Tugaye, M. T. &
 Fournier, J. (2001) The algal polysaccharide carrageenans can act as an elicitor of
 plant defence, *The New Phytologist* 149, 43-51.
- Kolomiets, M. V., Chen, H., Gladon, R. J., Braun, E. J. & Hannapel, D. J. (2000)
 A leaf lipoxygenase of potato induced specifically by pathogen infection, *Plant Physiol.* 124, 1121-1130.
- 8. International Patent Publication No. WO 00/50575, published August 31, 2000.
- Howe, G. A., Lee, G. I., Itoh, A., Li, L. & DeRocher, A. E. (2000) Cytochrome P450-dependent metabolism of oxylipins in tomato. Cloning and expression of allene oxide synthase and fatty acid hydroperoxide lyase, *Plant Physiol.* 123, 711-24.

- 10. Hause, B., Weichert, H., Hohne, M., Kindl, H. & Feussner, I. (2000) Expression of cucumber lipid-body lipoxygenase in transgenic tobacco: lipid-body lipoxygenase is correctly targeted to seed lipid bodies, *Planta* 210, 708-714.
- 11. Rustérucci, C., Montillet, J. L., Agnel, J. P., Battesti, C., Alonso, B., Knoll, A., Bessoule, J. J., Etienne, P., Suty, L., Blein, J. P. & Triantaphylides, C. (1999) Involvement of lipoxygenase-dependent production of fatty acid hydroperoxides in the development of the hypersensitive cell death induced by cryptogein on tobacco leaves, *J. Biol. Chem.* 274, 36446-36455.
- 12. French Patent Publication No. FR 2,777,423, published October 22, 1999.
- 13. Weber, H., Chetelat, A., Caldelari, D. & Farmer, E. E. (1999) Divinyl ether fatty acid synthesis in late blight-diseased potato leaves, *Plant Cell* 11, 485-493.
- 14. Hornung, E., Walther, M., Kuhn, H. & Feussner, I. (1999) Conversion of cucumber linoleate 13-lipoxygenase to a 9-lipoxygenating species by site-directed mutagenesis, *Proc. Natl. Acad. Sci. U. S. A.* 96, 4192-4197.
- 15. Kuhn, H. & Thiele, B. J. (1999) The diversity of the lipoxygenase family. Many sequence data but little information on biological significance, *FEBS Lett.* 449, 7-11.
- Royo, J., Leon, J., Vancanneyt, G., Albar, J. P., Rosahl, S., Ortego, F., Castanera,
 P. & Sanchez-Serrano, J. J. (1999) Antisense-mediated depletion of a potato
 lipoxygenase reduces wound induction of proteinase inhibitors and increases
 weight gain of insect pests, *Proc. Natl. Acad. Sci. U. S. A.* 96, 1146-1151.
- 17. Blée, E. (1998) Phytooxylipins and plant defense reactions, *Prog. Lipid Res.* 37, 33-72.

- 18. Bate, N. J. & Rothstein, S. J. (1998) C6-volatiles derived from the lipoxygenase pathway induce a subset of defense-related genes, *Plant J.* 16, 561-569.
- 19. Rancé, I., Fournier, J. & Esquerré-Tugayé, M. T. (1998) The incompatible interaction between Phytophthora parasitica var. nicotianae race 0 and tobacco is suppressed in transgenic plants expressing antisense lipoxygenase sequences, *Proc. Natl. Acad. Sci. U. S. A.* 95, 6554-6559.
- 20. Caldelari, D. & Farmer, E. E. (1998) A rapid assay for the coupled cell free generation of oxylipins, *Phytochemistry* 47, 599-604.
- 21. Staswick, P. E., Yuen, G. Y. & Lehman, C. C. (1998) Jasmonate signaling mutants of Arabidopsis are susceptible to the soil fungus Pythium irregulare, *Plant J.* 15, 747-754.
- 22. Grechkin, A. (1998) Recent developments in biochemistry of the plant lipoxygenase pathway, *Prog. Lipid Res.* 37, 317-352.
- 23. Feussner, I., Bachmann, A., Hohne, M. & Kindl, H. (1998) All three acyl moieties of trilinolein are efficiently oxygenated by recombinant His-tagged lipid body lipoxygenase in vitro, *FEBS Lett.* 431, 433-436.
- 24. Reymond, P. & Farmer, E. E. (1998) Jasmonate and salicylate as global signals for defense gene expression, *Current Opinion in Plant Biology* 1, 404-411.
- 25. Bate, N. J., Sivasankar, S., Moxon, C., Riley, J. M., Thompson, J. E. & Rothstein, S. J. (1998) Molecular characterization of an Arabidopsis gene encoding hydroperoxide lyase, a cytochrome P-450 that is wound inducible, *Plant Physiol*. 117, 1393-1400.
- 26. PCT International Patent Publication No. WO 97/26364, published July 24, 1997.

- 27. PCT International Patent Publication No. WO 97/13851, published July 24, 1997.
- 28. Rancé, I. (1997) (Université Paris XI Orsay), pp. 111.
- 29. Beaudoin, N. & Rothstein, S. J. (1997) Developmental regulation of two tomato lipoxygenase promoters in transgenic tobacco and tomato, *Plant molecular Biology* 33: 835-846.
- 30. Rickauer, M., Brodschelm, W., Bottin, A., Véronési, C., Grimal, H. & Esquerré-Tugayé, M. T. (1997) The jasmonate pathway is involved differentially in the regulation of different defence responses in tobacco cells, *Planta* 202, 155-162.
- 31. McConn, M., Creelman, R. A., Bell, E., Mullet, J. E. & Browse, J. (1997)
 Jasmonate is essential for insect defense in Arabidopsis, *Proc. Natl. Acad. Sci. U.*S. A. 94, 5473-5477.
- 32. Villalba Mateos, F., Rickauer, M. & Esquerré-Tugayé, M. T. (1997) Cloning and characterization of a cDNA encoding an elicitor of Phytophthora parasitica var. nicotianae that shows cellulose-binding and lectin-like activities, *Mol. Plant-Microbe Interact.* 10, 1045-1053.
- 33. Howe, G. A., Lightner, J., Browse, J. & Ryan, C. A. (1996) An octadecanoid pathway mutant (JL5) of tomato is compromised in signaling for defense against insect attack, *Plant Cell* 8, 2067-2077.
- 34. Schweizer, P., Felix, G., Buchala, A., Muller, C. & Metraux, J. P. (1996)

 Perception of free cutin monomers by *Plant Cells*, *Plant J.* 10, 331-341.
- Véronési, C., Rickauer, M., Fournier, J., Pouénat, M. L. & Esquerré-Tugayé, M.
 T. (1996) Lipoxygenase gene expression in the tobacco-Phytophthora parasitica nicotianae interaction, *Plant Physiol.* 112, 997-1004.

- 36. Laudert, D., Pfannschmidt, U., Lottspeich, F., Hollander-Czytko, H. & Weiler, E. W. (1996) Cloning, molecular and functional characterization of Arabidopsis thaliana allene oxide synthase (CYP 74), the first enzyme of the octadecanoid pathway to jasmonates, *Plant Mol. Biol.* 31, 323-335.
- 37. GenBank Accession No. U63117, created August 16, 1996.
- 38. Rosahl, S. (1996) Lipoxygenases in plants their role in development and stress response, Z. Naturforsch., C: Biosci. 51, 123-138.
- 39. Slusarenko, A. J. (1996) in *Lipoxygenase and lipoxygenase pathway enzymes*, ed. Piazza, G. J. (AOCS Press, Champain, Illinois), pp. 176-197.
- 40. Bell, E., Creelman, R. A. & Mullet, J. E. (1995) A chloroplast lipoxygenase is required for wound-induced jasmonic acid accumulation in Arabidopsis, *Proc. Natl. Acad. Sci. U. S. A.* 92, 8675-8679.
- 41. Maccarrone, M., Hilbers, M. P., Veldink, G. A., Vliegenthart, J. F. & Finazzi Agro, A. (1995) Inhibition of lipoxygenase in lentil protoplasts by expression of antisense RNA, *Biochim. Biophys. Acta* 1259, 1-3.
- Véronési, C., Fournier, J., Rickauer, M., Marolda, M. & Esquerré-Tugayé, M. T.
 (1995) Nucleotide sequence of an elicitor-induced tobacco lipoxygenase cDNA
 (Genbank X84040), *Plant Physiol.* 108, 1342.
- 43. Rancé, I., Tian, W. Z., Mathews, H., De Kochko, A., Beachy, R. N. & Fauquet, C. M. (1994) Partial dessication of mature embryo-derived calli, a simple treatment that dramatically enhances the regeneration ability of indica rice., *Plant Cell* Report 13, 647-651.

- 44. Maccarrone, M., van Aarle, P. G., Veldink, G. A. & Vliegenthart, J. F. (1994) In vitro oxygenation of soybean biomembranes by lipoxygenase-2, *Biochim*. *Biophys. Acta* 1190, 164-169.
- 45. Ferrie, B. F., Beaudoin, N., Burkhart, W., Bowsher, C. G., Rothstein, S. J. (1994)

 The cloning of two tomato lipoxygenase genes and their differential expression during fruit ripening, Plant *Physiol.*, 106: 109-118.
- 46. Peng, Y. L., Shirano, Y., Ohta, H., Hibino, T., Tanaka, K. & Shibata, D. (1994) A novel lipoxygenase from rice. Primary structure and specific expression upon incompatible infection with rice blast fungus, *J. Biol. Chem.* 269, 3755-3761.
- 47. Croft, K. P. C., Jüttner, F. & Slusarenko, A. J. (1993) Volatile products of the lipoxygenase pathway evolved from Phaseolus vulgaris (L.) leaves inoculated with Pseudomonas syringae pv. phaseolicola, *Plant Physiol.* 101, 13-24.
- 48. Fournier, J., Pouénat, M. L., Rickauer, M., Rabinovitch-Chable, H., Rigaud, M. & Esquerré-Tugayé, M. T. (1993) Purification and characterisation of elicitor-induced lipoxygenase in tobacco cells, *Plant J.* 3, 63-70.
- 49. Koch, E., Meier, B. M., Eiben, H. G. & Slusarenko, A. J. (1992) A lipoxygenase from leaves of tomato (Lycopersicum esculentum Mill) is induced in response to plant pathogen Pseudomonas, *Plant Physiol.* 99, 571-576.
- Deng, W., Grayburn, W. S., Hamilton-Kemp, T. R., Collins, G. B. & Hildebrand,
 D. F. (1992) Expression of soybean-embryo lipoxygenase 2 in transgenic tobacco
 tissue, *Planta* 187, 203-208.
- 51. Rickauer, M., Fournier, J., Pouénat, M. L., Berthalon, E., Bottin, A. & Esquerre-Tugaye, M. T. (1990) Early changes in ethylene synthesis and lipoxygenase

- activity during defense induction in tobacco cells, *Plant Physiology and Biochemistry* 28, 647-653.
- 52. Japanese Patent Publication No. JP19900211469, published August 13, 1990.
- 53. Brash, A. R., Ingram, C. D. & Harris, T. M. (1987) Analysis of a specific oxygenation reaction of soybean lipoxygenase-1 with fatty acids esterified in phospholipids, *Biochemistry* 26, 5465-5471.
- 54. Horsch, R. B., Fry, J. E., Hoffmann, N. L., Eicholtz, D., Rogers, S. G. & Fraley,
 R. T. (1985) A simple and general method for transferring genes into plants,
 Science 227, 1229-1231.
- 55. Dellaporta, S. L., Wood, J. & Hicks, J. B. (1983) A plant DNA minipreparation: version II., *Plant Mol. Biol. Rep.* 1, 19-21.
- 56. Galliard, T. & Chan, H. W. S. (1980) in *The Biochemistry of Plants A comprehensive treatise*, ed. Stumpf, P. K. (Academic Press, INC, New York), Vol. 4, pp. 131-161.
- 57. Holsters, M., de Waele, D., Depicker, A., Messens, E., van Montagu, M. & Schell, J. (1978) Transfection and transformation of Agrobacterium tumefaciens, Mol. Gen. Genet. 163, 181-187.
- 58. Bradford, M. M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, *Anal. Biochem.* 72, 248-254.
- 59. Keen, N. T. (1975) Specific elicitors of plant phytoalexin production: determinants of race specificity in pathogens?, *Science* 187, 74-75.

- 60. Helgeson, J. P., Kemp, J. D., Haberlach, G. T. & Maxwell, D. P. (1972) A tissue culture system for studying disease resistance: the black shank disease in tobacco callus culture, *Phytopath*. 62, 1439-1443.
- 61. Hendrix, J. W. & Apple, J. L. (1967) Stem resistance to Phytophthora parasitica var. nicotianae in tobacco derived from Nicotiana longiflora and Nicotiana plumbaginifolia, *Tobacco Science* 11, 148-150.

Also enclosed is U.S. Patent No. 6,770,303, which is related to foreign language reference, French Patent No. FR 2,777,423.

The submission of this Information Disclosure Statement does not represent that a search has been made or that no better art exists, and does not constitute an admission that any of the listed documents are material or constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in the application and Applicants determine that the cited documents do not constitute "prior art" under United States law, Applicants reserve the right to present to the Office the relevant facts and law regarding the appropriate status of such documents.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

This Information Disclosure Statement is being filed before the mailing date of the first Office Action on the merits of referenced application. Therefore, applicants do not believe that any fee is due in connection with the submission of this paper. However, if any fee is due, or if any overpayment has been made, the Commissioner is authorized to charge any such fee or credit any overpayment, to our Deposit Account No. 02-4377.

Duplicate copies of this sheet are enclosed.

Respectfully submitted,

BAKER BOTTS LLP

Peter J. Shen

Patent Office Reg. No. 52,217

Attorney for Applicants

30 Rockefeller Plaza 44th Floor

New York, NY 10012-4498

212-408-2500

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office						Atty. Docket No. A36097-PCT-USA-A (075188.0117) Serial No. 10/731,642									
BY APPLICANT (Use several sheets if necessary) (CT 2 0 2004							T			Applicants Mene-Saffrank et al.					
								37		Filing Date Group Art Unit May 17, 2004 1632					
RAJE.		9													
	عظنه								U.S. PATEN	T DOCUMENTS			. -		-
*Exam. Init.				Docur	ment N	0.			Date	Name	c	lass	Subclass	Filing Da	
		6	7	7	0	3	0	3	08/03/04	Fritig et al.	4	24	603	Пирриорі	into
			-	-											
	<u> </u>	L	.]	l	<u> </u>		<u></u>	l	FOREIGN PA	TENT DOCUMENT					
		Document No.							Date	Country	c	lass	SubClass	<u>Translator</u> Yes No	
		0	1	3	6	4	6	4 -	05/25/01	WO					
		0	0	5	0	5	7	5.	08/31/00	WO					
		2	7	7	7	4	2	3,	10/22/99	FR					
		9	7	2	6	3	6	4,	07/24/97	WO					
	X	9	7	1	3	8	5	1.	04/17/97	WO		·			
										Author, Title Date, Pertinen					
										ee, YH., Lee, YW., H ransferase: A key enzym					
		X		_						A. 98, 4788-4793.					
		Göbel, C., Feussner, I., Schmidt, A., Scheel, D., Sanchez-Serrano, J., Hamberg, M. & Rosahl, S. (2001) Oxylipin profiling reveals the preferential stimulation of the 9-lipoxygenase pathway in elicitor-treated potato cells, <i>J. Biol. Chem.</i> 276, 6267-6273.					, S. n								
										tlar cloning of a divinyl etem. 276, 3620-3627.	ther sy	nthas	e : Identif	ication a	is a
			Th		al po					Briand, X., Esquerre-Tug can act as an elicitor of p					
										. J., Braun, E. J. & Hanna cally by pathogen infection					130 ,
Examine	r								Date	Considered					

^{*} Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant. NY02:501397.1

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. A36097-PCT-USA-A (075188.0117)	Serial No. 10/731,642						
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicants Mene-Saffrank et al.							
	Filing Date May 17, 2004	Group Art Unit 1632						
Howe, G. A., Lee, G. I., Itoh, A., Li, I metabolism of oxylipins in tomato. Cl hydroperoxide lyase, <i>Plant Physiol.</i> 12 Hause, B., Weichert, H., Hohne, M., K.	oning and expression of allene of 3, 711-24.	oxide synthase and fatty acid						
lipid-body lipoxygenase in transgenic seed lipid bodies, <i>Planta</i> 210, 708-714	tobacco: lipid-body lipoxygena							
Rustérucci, C., Montillet, J. L., Agnel, J. P., Battesti, C., Alonso, B., Knoll, A., Bessoule, J. Etienne, P., Suty, L., Blein, J. P. & Triantaphylides, C. (1999) Involvement of lipoxygenas dependent production of fatty acid hydroperoxides in the development of the hypersensitive death induced by cryptogein on tobacco leaves, J. Biol. Chem. 274, 36446-36455.								
Weber, H., Chetelat, A., Caldelari, D. late blight-diseased potato leaves, <i>Plan</i>	ether fatty acid synthesis in							
Hornung, E., Walther, M., Kuhn, H. & Feussner, I. (1999) Conversion of cucumber line lipoxygenase to a 9-lipoxygenating species by site-directed mutagenesis, <i>Proc. Natl. Ac</i> S. A. 96, 4192-4197.								
	Kuhn, H. & Thiele, B. J. (1999) The diversity of the lipoxygenase family. Many sequence data bu little information on biological significance, <i>FEBS Lett.</i> 449, 7-11.							
Royo, J., Leon, J., Vancanneyt, G., All Serrano, J. J. (1999) Antisense-mediat induction of proteinase inhibitors and U. S. A. 96, 1146-1151.	ed depletion of a potato lipoxygincreases weight gain of insect	genase reduces wound pests, <i>Proc. Natl. Acad. Sci.</i>						
Blée, E. (1998) Phytooxylipins and pla								
Bate, N. J. & Rothstein, S. J. (1998) C subset of defense-related genes, <i>Plant</i>	<i>J</i> . 16, 561-569.							
Rancé, I., Fournier, J. & Esquerré-Tug Phytophthora parasitica var. nicotianae expressing antisense lipoxygenase seq	e race 0 and tobacco is suppress uences, <i>Proc. Natl. Acad. Sci. U</i>	ed in transgenic plants J. S. A. 95, 6554-6559.						
Caldelari, D. & Farmer, E. E. (1998) A oxylipins, <i>Phytochemistry</i> 47, 599-604		Il free generation of						
Staswick, P. E., Yuen, G. Y. & Lehma are susceptible to the soil fungus Pythi								
Examiner Date	Considered	<u> </u>						

^{*} Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant. NY02:501397.1

		Page 3 of 5					
Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. A36097-PCT-USA-A (075188.0117)	Serial No. 10/731,642					
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicants Mene-Saffrank et al.						
	Filing Date May 17, 2004	Group Art Unit 1632					
Grechkin, A. (1998) Recent developm <i>Prog. Lipid Res.</i> 37, 317-352.	nents in biochemistry of the	plant lipoxygenase pathway,					
	Feussner, I., Bachmann, A., Hohne, M. & Kindl, H. (1998) All three acyl moieties of trilinolein are efficiently oxygenated by recombinant His-tagged lipid body lipoxygenase in vitro, FEBS Lett 431, 433-436.						
	Reymond, P. & Farmer, E. E. (1998) Jasmonate and salicylate as global signals for defense gene expression, Current Opinion in Plant Biology 1, 404-411. Bate, N. J., Sivasankar, S., Moxon, C., Riley, J. M., Thompson, J. E. & Rothstein, S. J. (1998) Molecular characterization of an Arabidopsis gene encoding hydroperoxide lyase, a cytochrome P 450 that is wound inducible, Plant Physiol. 117, 1393-1400.						
Molecular characterization of an Arab 450 that is wound inducible, <i>Plant Physical Research</i>							
Rancé, I. (1997) (Université Paris XI -	- Orsay), pp. 111.	e					
Beaudoin, N. & Rothstein, S. J. (1997 promoters in transgenic tobacco and to							
Rickauer, M., Brodschelm, W., Bottin (1997) The jasmonate pathway is invo- responses in tobacco cells, <i>Planta</i> 202	lved differentially in the re	H. & Esquerré-Tugayé, M. T. gulation of different defence					
	McConn, M., Creelman, R. A., Bell, E., Mullet, J. E. & Browse, J. (1997) Jasmonate is essential for insect defense in Arabidopsis, <i>Proc. Natl. Acad. Sci. U. S. A.</i> 94, 5473-5477.						
Villalba Mateos, F., Rickauer, M. & E of a cDNA encoding an elicitor of Phy binding and lectin-like activities, <i>Mol.</i>	ytophthora parasitica var. ni	cotianae that shows cellulose-					
Howe, G. A., Lightner, J., Browse, J. of (JL5) of tomato is compromised in sig 2077.	maling for defense against i	nsect attack, Plant Cell 8, 2067-					
Schweizer, P., Felix, G., Buchala, A., monomers by <i>Plant Cells</i> , <i>Plant J.</i> 10,	331-341.						
Véronési, C., Rickauer, M., Fournier,	J., Pouénat, M. L. & Esquei	rré-Tugayé, M. T. (1996)					

Examiner	Date Considered

Physiol. 112, 997-1004.

Lipoxygenase gene expression in the tobacco-Phytophthora parasitica nicotianae interaction, Plan

^{*} Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

NY02:501397.1

Form PTO-1449 U.S. Depa (REV. 2-82) Patent and T		Atty. Docket No. A36097-PCT-USA-A (075188.0117)	Serial No. 10/731,642				
BY A	SCLOSURE STATEMENT APPLICANT I sheets if necessary)	Applicants Mene-Saffrank et al.					
		Filing Date May 17, 2004	Group Art Unit 1632				
Clonin	g, molecular and functional cha	eich, F., Hollander-Czytko, H. & racterization of Arabidopsis that decanoid pathway to jasmonates	liana allene oxide synthase				
K GenBa	GenBank Accession No. U63117, created August 16, 1996.						
	Rosahl, S. (1996) Lipoxygenases in plants - their role in development and stress response, Z. Naturforsch., C: Biosci. 51, 123-138.						
	Slusarenko, A. J. (1996) in <i>Lipoxygenase and lipoxygenase pathway enzymes</i> , ed. Piazza, G. J. (AOCS Press, Champain, Illinois), pp. 176-197.						
the state of the s	Bell, E., Creelman, R. A. & Mullet, J. E. (1995) A chloroplast lipoxygenase is required for wound induced jasmonic acid accumulation in Arabidopsis, <i>Proc. Natl. Acad. Sci. U. S. A.</i> 92, 8675-8679						
Inhibiti		nk, G. A., Vliegenthart, J. F. & I toplasts by expression of antiser					
Nucleo	Véronési, C., Fournier, J., Rickauer, M., Marolda, M. & Esquerré-Tugayé, M. T. (1995) Nucleotide sequence of an elicitor-induced tobacco lipoxygenase cDNA (Genbank X84040), <i>Plan Physiol.</i> 108, 1342.						
Rancé, Partial	Rancé, I., Tian, W. Z., Mathews, H., De Kochko, A., Beachy, R. N. & Fauquet, C. M. (1994) Partial dessication of mature embryo-derived calli, a simple treatment that dramatically enhances the regeneration ability of indica rice., <i>Plant Cell</i> Report 13, 647-651.						
	Maccarrone, M., van Aarle, P. G., Veldink, G. A. & Vliegenthart, J. F. (1994) In vitro oxygenatio of soybean biomembranes by lipoxygenase-2, <i>Biochim. Biophys. Acta</i> 1190, 164-169. ♦						
two tor	nato lipoxygenase genes and the 1., 106: 109-118.	W., Bowsher, C. G., Rothstein, Seir differential expression during	g fruit ripening, Plant				
lipoxyg with ric	genase from rice. Primary structive blast fungus, J. Biol. Chem. 2		n incompatible infection				
pathwa		o, A. J. (1993) Volatile products aris (L.) leaves inoculated with I					

Examiner Date Considered

^{*} Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant. NY02:501397.1

		Atty. Docket No. A36097-PCT-USA-A (075188.0117)	Serial No. 10/731,642				
	BY APPLICANT	Applicants Mene-Saffrank et al.					
		Filing Date May 17, 2004	Group Art Unit 1632				
	Tugayé, M. T. (1993) Purification and						
	Koch, E., Meier, B. M., Eiben, H. G. & Slusarenko, A. J. (1992) A lipoxygenase from leaves tomato (Lycopersicum esculentum Mill) is induced in response to plant pathogen Pseudomor						
		Deng, W., Grayburn, W. S., Hamilton-Kemp, T. R., Collins, G. B. & Hildebrand, D. F. (1992) Expression of soybean-embryo lipoxygenase 2 in transgenic tobacco tissue, <i>Planta</i> 187, 203-208.					
	Rickauer, M., Fournier, J., Pouénat, M. L., Berthalon, E., Bottin, A. & Esquerre-Tugaye, M. T. (1990) Early changes in ethylene synthesis and lipoxygenase activity during defense induction in tobacco cells, <i>Plant Physiology and Biochemistry</i> 28, 647-653.						
X	Brash, A. R., Ingram, C. D. & Harris, T. M. (1987) Analysis of a specific oxygenation reaction of soybean lipoxygenase-1 with fatty acids esterified in phospholipids, <i>Biochemistry</i> 26, 5465-5471.						
	Dellaporta, S. L., Wood, J. & Hicks, J. Mol. Biol. Rep. 1, 19-21.	B. (1983) A plant DNA minipr	eparation: version II., Plan				
X							
	l	-	–				
X	· · · · · · · · · · · · · · · · · · ·		determinants of race				
X							
	-82) Pa NFORMA (U	Fournier, J., Pouénat, M. L., Rickauer, Tugayé, M. T. (1993) Purification and cells, Plant J. 3, 63-70. Koch, E., Meier, B. M., Eiben, H. G. & tomato (Lycopersicum esculentum Mil Plant Physiol. 99, 571-576. Deng, W., Grayburn, W. S., Hamilton-Expression of soybean-embryo lipoxyg Rickauer, M., Fournier, J., Pouénat, M. (1990) Early changes in ethylene synth tobacco cells, Plant Physiology and Biology Brash, A. R., Ingram, C. D. & Harris, Soybean lipoxygenase-1 with fatty acid Horsch, R. B., Fry, J. E., Hoffmann, N. simple and general method for transfer Dellaporta, S. L., Wood, J. & Hicks, J. Mol. Biol. Rep. 1, 19-21. Galliard, T. & Chan, H. W. S. (1980) in Stumpf, P. K. (Academic Press, INC, N. Holsters, M., de Waele, D., Depicker, A. Transfection and transformation of Agin Bradford, M. M. (1976) A rapid and se of protein utilizing the principle of protein tilizing the principle of protein tilizing disease resistance: the bla 1439-1443. Hendrix, J. W. & Apple, J. L. (1967) Stobacco derived from Nicotiana longifi	**AS6097-PCT-USA-A (075188.0117) **RIGHAMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) **Fournier, J., Pouénat, M. L., Rickauer, M., Rabinovitch-Chable, H., R. Tugayé, M. T. (1993) Purification and characterisation of elicitor-inducells, *Plant J. 3, 63-70. \(\) **Koch, E., Meier, B. M., Eiben, H. G. & Slusarenko, A. J. (1992) A liptomato (Lycopersicum esculentum Mill) is induced in response to plan *Plant Physiol. 99, 571-576. \(\) **Deng, W., Grayburn, W. S., Hamilton-Kemp, T. R., Collins, G. B. & I Expression of soybean-embryo lipoxygenase 2 in transgenic tobacco to Rickauer, M., Fournier, J., Pouénat, M. L., Berthalon, E., Bottin, A. & (1990) Early changes in ethylene synthesis and lipoxygenase activity to tobacco cells, *Plant Physiology and *Biochemistry 28, 647-653. \(\) **Brash, A. R., Ingram, C. D. & Harris, T. M. (1987) Analysis of a specisoybean lipoxygenase-1 with fatty acids esterified in phospholipids, *B. Horsch, R. B., Fry, J. E., Hoffmann, N. L., Eicholtz, D., Rogers, S. G. simple and general method for transferring genes into plants, *Science 2** Dellaporta, S. L., Wood, J. & Hicks, J. B. (1983) A plant DNA minipr *Mol. Biol. Rep. 1, 19-21. \(\) **Galliard, T. & Chan, H. W. S. (1980) in *The Biochemistry of Plants A Stumpf, P. K. (Academic Press, INC, New York), Vol. 4, pp. 131-161. Holsters, M., de Waele, D., Depicker, A., Messens, E., van Montagu, 1 Transfection and transformation of Agrobacterium tumefaciens, *Mol. 4** Bradford, M. M. (1976) A rapid and sensitive method for the quantitat of protein utilizing the principle of protein-dye binding, *Anal. Biochem Keen, N. T. (1975) Specific elicitors of plant phytoalexin production: specificity in pathogens?, *Science 187, 74-75. **Helgeson, J. P., Kemp, J. D., Haberlach, G. T. & Maxwell, D. P. (1977) for studying disease resistance: the black shank disease in tobacco cal 1439-1443. \ **Hendrix, J. W. & Apple, J. L. (1967) Stem resistance to Phytophthora tobacco derived from Nicotiana longiflora and Nico				

Date Considered

conformance and not considered. Include copy of this form with next communication to applicant. NY02:501397.1

Examiner

Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not